

AMC GYP SET™

CEMENT AND GROUTING ADDITIVES



Description

AMC GYP SET™ is a low strength gypsum based cement providing a grout with a predetermined set time. AMC GYP SET™ has a variety of applications and a 60 minute set time.

Application

AMC GYP SET™ is ideal for cementing unstable caving formations, for setting plugs for wedging and for plugging off to help seal voids, cracks and fissures that cause lost circulation. AMC GYP SET™ can also be used for cementing in surface casing where quick setting low strength cements are suitable. AMC GYP SET™ set times are encoded into the product so it is vitally important the application and set time are carefully considered.

Typical Physical Properties

Appearance:	Odourless, white powder
pH (as supplied):	7.5 – 8.5
Specific gravity:	2.6 – 2.7
Bulk density:	775 – 803 kg / m ³ (bulk)

Recommended Treatment

AMC GYP SET™ will perform optimally when slurried in fresh water. AMC GYP SET™ will start to set in 15 minutes and be hard in 30 minutes after mixing. It is recommended a rubber cementing plug be pumped either side of the slurry to avoid contamination and to wipe residue from the rods.

AMC GYP SET™ should be mixed at a ratio of 16 kg AMC GYP SET™ to 10L of water and blended until the slurry is consistently smooth.

Please Note: Several factors will dictate the most appropriate concentration rate. Please contact your nearest AMC representative for optimum results.

Advantages

- Controlled setting times
- Reduce rig time while waiting on cement
- Enable to maintain bore trajectory
- Easily mixed and pumped
- Aid to cure lost circulation
- Cements in surface casing
- Note alkali based.

ASIA PACIFIC

Perth, Australia (Head Office)

T +61 8 9445 4000
E amc@imdexlimited.com

Indonesia

T +62 (0) 21 759 11244

AFRICA

South Africa

T +27 (11) 908 5595

EUROPE

Germany

T +49 4402 6950-0

United Kingdom

T +44 (0) 1273 483 700

SOUTH AMERICA

Argentina

T +54 (9) 261 573 2222

Brazil

T +55 (47) 3404 5920

Chile

T +56 (2) 2589 9300

Peru

T + 51 (1) 322 8850

NORTH AMERICA

USA / Canada

T +801-364-0233

Mexico

T +52 (871) 169 2095